

ICON

COLLECTION 2024

abitare
la ceramica

A BRAND OF GRESMALT GROUP



Icon Brown | 121x121 48"x48" Rect - Icon Brown | 60x119,8 24"x48" Rect - Icon Beige | 10x30 4"x12" Rect

ICON

CONCRETE EFFECT

Tradition with a contemporary twist. An enveloping and distinctively striking effect. Aesthetics meets functionality in a precious kaleidoscope of colours and sizes that challenges the conventional concept of home living by offering a bold new take on ceramic surfaces.

La tradizione rivisitata con un' essenza contemporanea. Un effetto avvolgente e di grande carattere estetico. Estetica e funzionalità si fondono in una preziosa alchimia di colori e formati superando il solito concetto di abitare proponendo una nuova e qualificata idea di superficie ceramica.

La tradition revisitée dans une essence contemporaine. Un effet enveloppant et extrêmement esthétique. Esthétique et fonctionnalité fusionnent dans une précieuse alchimie de couleurs et de formats, dépassant le concept d'habitat pour proposer une nouvelle idée haut de gamme de surfaces céramiques.

Die neuinterpretierte tradition mit zeitgenössischer essenz. Ein umschmeichelnder effekt von grosser ästhetischer prägnanz. Ästhetik und Funktionalität verschmelzen zu einer hochwertigen Mixtur aus Farben und Formaten und überbieten das herkömmliche Wohnkonzept mit einer neuartigen und fachgerechten Vorstellung der Keramikoberfläche.

La tradición recreada con una esencia contemporánea. Un efecto envolvente y de gran carácter estético. Estética y funcionalidad se unen en una preciosa alquimia de colores y formatos superando el concepto habitual de vivienda, proponiendo una nueva idea de superficie cerámica cualificada.

PORCELAIN TILES WITH COLOURED BODY DIGITAL	**IN** 121x121 Rect 60x119,8 Rect 80,2x80,2 Rect 60,4x60,4 60x60 Rect 60x52 Esagona Rect (Silver, Smoke, Black) 30x60,4 30x60 Rect 10x30 Rect	**OUT** 60,4x60,4 Rect 2cm (Beige, Silver, Smoke) 60,4x60,4 Antislip	



Icon Beige | 121x121 48"x48" Rect - Icon Beige | 60x119,8 24"x48" Rect



Icon Silver 2cm | 60,4x60,4 24"x24" Rect



Icon Silver | 80,2x80,2 32"x32" Rect - Icon Silver Decoro | 30x60 12"x24" Rect




Icon Smoke | **121x121** 48"x48" Rect

ICON

PORCELAIN TILES WITH COLOURED BODY DIGITAL


PEI IV	R9	R11	C	V3	According to	According to	Resistant
	Nat	2cm Antislip	2cm Antislip				

COLOURS & SIZES




surfaces
Nat
Antislip
ab OUT

Beige



surfaces
Nat
Antislip

Brown



surfaces
Nat
Antislip

Black




surfaces
Nat
Antislip
ab OUT

Silver




surfaces
Nat
Antislip
ab OUT


Smoke




IN	121x121 Rect 48"x48"	60x119,8 Rect 24"x48"	80,2x80,2 Rect 32"x32"	60,4x60,4 24"x24"	60x60 Rect 24"x24"	60x52 Rect 24"x20½" (Silver, Smoke, Black)	30x60,4 12"x24"	30x60 Rect 12"x24"	10x30 Rect 4"x12"	OUT	60,4x60,4 24"x24" **Antislip**	60,4x60,4 Rect 24"x24" **2cm** ab OUT (Beige, Silver, Smoke)




MOSAICO T25
30x30



BATTISCOPA
7,5x60,4



GRADONE
30x60,4x3,5



STEP*
30x30

For the special pieces/trims of 2 cm thickness products, please refer to the dedicated catalogue. Per i pezzi speciali dei prodotti a spessore 2 cm consultare il catalogo specifico. Pour les pièces spéciales des produits de 2 cm d'épaisseur, veuillez consulter le catalogue spécifique. Sonderanfertigungen mit einer Dicke von 2 cm entnehmen Sie bitte dem jeweiligen Katalog. Para las piezas especiales de los productos de 2 cm de grosor, consultar el catálogo específico.

* **Minimum lot per order 44pcs.** Lotto minimo per ordine 44pz. Minimumbestellmenge 44 St. Lot minimum par commande 44 pcs. Lote mínimo por pedido 48 pzs

ICON

PORCELAIN TILES WITH COLOURED BODY DIGITAL

PEI IV	R9	R11	C	V3			
	Nat	2cm Antislip	2cm Antislip		According to	According to	Resistant

DECORS



DECORO BEIGE
60,4x60,4 60x60 Rect 30x60 Rect




DECORO BROWN
60,4x60,4 60x60 Rect 30x60 Rect



DECORO SILVER
60,4x60,4 60x60 Rect 30x60 Rect



DECORO SMOKE
60,4x60,4 60x60 Rect 30x60 Rect



DECORO BLACK
60,4x60,4 60x60 Rect 30x60 Rect



DECORO SMOKE 20mm
60,4x60,4 Rect



BEIGE MIX DEC *
20x20



BEIGE FLOWER DEC
20x20



BEIGE DESIGN DEC
20x20



SILVER MIX DEC *
20x20



SILVER FLOWER DEC
20x20



SILVER DESIGN DEC
20x20

* **There is no guaranteed minimum quantit of different items in the same box.** Non è garantito un numero minimo di soggetti differenti all'interno della stessa scatola. On ne garantit pas un nombre minimum de pièces différentes dans une même boîte. Es ist nicht garantiert, dass eine Mindestanzahl der verschiedenen Farbtöne in einem Karton enthalten ist. No se garantiza un número mínimo de temas diferentes dentro de la misma caja.

PACKING

size	mm	pcs/box	sqm/box	kg/sqm	box/pal	sqm/pal	kg/pal	code/sqm	code/pcs
121x121 48"x48" Rect	10	1	1,46	23,00	40	58,40	1368	A71	-
60x119,8 24"x48" Rect	9	2	1,44	17,70	36	51,84	942	A51	-
80,2x80,2 32"x32" Rect	8,8	2	1,29	17,00	42	54,18	946	A54	-
60,4x60,4 24"x24"	8,8	4	1,46	17,00	32	46,72	819	A21	-
60,4x60,4 24"x24" Antislip	8,8	4	1,46	17,00	32	46,72	819	A27	-
60,4x60,4 24"x24" Rect 2cm ab **OUT** (Beige, Silver, Smoke)	20	2	0,73	44,00	32	23,36	1053	A75	-
60,4x60,4 24"x24" Dec	8,8	4	1,46	17,00	32	46,72	819	A49	-
60,4x60,4 24"x24" Dec 2cm ab **OUT** (Smoke)	20	2	0,73	44,00	32	23,36	1053	A82	-
60x60 24"x24" Rect	8,8	4	1,44	17,00	32	46,08	808	A33	-
60x60 24"x24" Dec Rect	8,8	4	1,44	17,00	32	46,08	808	A49	-
60x52 24"x20½" Esagona Rect (Silver, Smoke, Black)	10	4	0,94	20,50	27	25,38	545	A63	-
30x60,4 12"x24"	9	7	1,27	17,00	40	50,80	889	A16	-
30x60 12"x24" Rect	9	7	1,26	17,00	40	50,40	882	A28	-
30x60 24"x24" Dec Rect	8,8	7	1,26	17,00	40	50,40	882	A51	-
20x20 8"x8" Dec	8,2	34	1,36	16,20	48	65,28	1083	A39	-
10x30 4"x12" Rect	8,8	32	0,96	17,00	68	65,28	1135	A71	-
30x30 12"x12" Mosaico	9	11	1,00	17,50	30	30,00	550	B06	-
7,5x60,4 3"x24" Battiscopa	9	16	-	-	-	-	-	-	P07
30x60,4x3,5 12"x24" Gradone	9	2	-	-	-	-	-	-	P55
30x30 12"x12" Step	9	11	-	-	-	-	-	-	P09

Technical characteristics*

CARATTERISTICHE TECNICHE. CARACTERISTIQUES TECNIQUES. TECHNISCHE DATEN. CARACTERÍSTICAS TÉCNICAS.

technical characteristic caratteristica tecnica caracteristique technique Technische eigenschaft característica técnica	**reference standard** norma di riferimento norme de reference Besugsnorm norma de referencia	**value required** valore richiesto valeur requise Geforderter wert valor requerido
water absorption (E) assorbimento d'acqua (E) absorption d'eau (E) Wasseraufnahme (E) absorción de agua (E)	**ISO 10545-3**	≤ **0,5%**
breaking strength (S) forza di rottura (S) contrainte de rupture (S) Bruchfestigkeit (S) fuerza de rotura (S)	**ISO 10545-4**	thickness ≥ **7,5mm** ≥ **1300 N** thickness < **7,5mm** ≥ **700 N**
bending strength (R) resistenza alla flessione (R) résistance a la flexion (R) Biegefestigkeit (R) resistencia a la fl exión (R)	**ISO 10545-4**	≥ **35 N/mm²**
resistance to abrasion PEI resistenza all'abrasione superficiale PEI rèsistance à l'abrazion PEI Widerständigkeit gegen Oberflächenabnutzung PEI resistencia a la abrasión superficial PEI	**ISO 10545-7**	**according to producer's** secondo i dati del costruttore selon les éléments du costructeur laut Herstellerangaben según los datos del fabricante
thermal shock resistance resistenza agli sbalzi termici resistance aux écarts de température Temperaturwechselbeständigkeit resistencia al choque térmico	**ISO 10545-9**	**no sample must show visible defects** nessun campione deve presentare difetti visibili aucun échantillon ne doit presenter des défauts visibles Kein Exemplar soll sichtbare Schäden aufweisen ninguna muestra debe presentar defectos visibles
frost resistance resistenza al gelo resistance au gel Frostbeständigkeit resistencia al hielo	**ISO 10545-12**	**resistant** resistenti résistants widerstandsfähig resistentes
anm-skeed resistance grade fattore di resistenza alla scivolosità gré de resistance à la glissance Rutschfestigkeit factor de resistencia al deslizamiento	**DIN EN 16165 - ANNEX B**	**according to producer's** secondo i dati del costruttore selon les éléments du costructeur laut Herstellerangaben según los datos del fabricante
slip resistance factor in the presence of water and bare feet fattore di resistenza alla scivolosità in presenza di acqua a piedi nudi facteur de résistance à la glissance pieds nus en présence d'eau Rutschfestigkeit im Barfußbereich factor de resistencia al deslizamiento en presencia de agua con pies descalzos	**DIN EN 16165 - ANNEX A**	**according to producer's** secondo i dati del costruttore selon les éléments du costructeur laut Angaben des Herstellers según los datos del fabricante
size characteristics caratteristiche dimensionali caracteristiques dimensionelle Maßhaltigkeit características dimensionales	**ISO 10545-2**	**lenght and width** ± **0,6%**(max±2mm) lunghezza e larghezza / longueur et largeur / Länge und Breite / longitud y anchura **thickness** ± **5,0%**(max±0,5mm) spessore / epaisseur / Stärke / espesor **wedging** ± **0,5%**(max±2mm) ortogonalità / orthogonalité / Rechtwinkligkeit / ortogonalidad **flatness** ± **0,5%**(max±2mm) planarità / planéité / Ebenflächigkeit / planaridad
linear thermal expansion coefficient coefficiente di dilatazione termica lineare coefficient de expansion térmica linear Wärmeausdehnungskoeffizient coeficiente de dilatación térmica lineal	**ISO 10545-8**	**test method available** metodo di prova disponibile méthode d'essai disponible Verfügbare Prüfmethode método de ensayo disponible
resistance to chemicals resistenza ai prodotti chimici resistance aux produits chimiques Beständigkeit gegen Chemikalien resistencia química	**ISO 10545-13**	**min. B**
stain resistance resistenza alle macchie resistance aux taches Fleckenbeständigkeit resistencia a las manchas	**ISO 10545-14**	**classe** ≥ **3**
crazing resistance resistenza al cavillo resistance aux craquellures haarriss-Beständigkeit resistencia al cuarteado	**ISO 10545-11**	

*** Following the EN 14411 (ISO 13006) norms and test cases UNI ISO 10545 appendix G for ceramic tiles dry pressed with low water absorbsion E≤0,5% group BIa.**

Secondo la norma EN 14411 (ISO 13006) metodi di prova UNI EN ISO 10545 Appendice G per piastrelle ceramiche pressate a secco a basso assorbimento d'acqua E≤0,5% Gruppo BIa.

Selon les normes EN 14411 (ISO 13006) méthodes d'essais UNI EN ISO 10545 Appendice G pour carreaux céramiques pressés à sec, à basse absorption d'eau E≤0,5% groupe BIa.

Nach der Norm EN 14411 (ISO 13006) Prüfmethode UNI EN ISO 10545 Zulage G für trockengepresste Fliesen mit niedriger Wasseraufnahme E≤0,5% Gruppo BIa.

Según la norma EN 14411 (ISO 13006) métodos de ensayo UNI EN ISO 10545 Apéndice G para baldosas cerámicas prensadas en seco con baja absorción de agua E≤0,5% Grupo BIa.

Summarizing list of technical characteristics

TABELLA RIASSUNTIVA CARATTERISTICHE TECNICHE. TABLEAU RÉCAPITULATIF DES CARACTÉRISTIQUES TECHNIQUES. ÜBERSICHTSTABELLE DER TECHNISCHEN EIGENSCHAFTEN. TABLA DE RESUMEN DE LAS CARACTERÍSTICAS TÉCNICAS.

Porcelain tiles with coloured body ** Gres porcellanato colorato in massa Grès cérame teinte dans la masse Eingefaerbtes feinsteinzeug Gres porcelánico coloreado en masa	**Glazed porcelain tiles **** Gres porcellanato smaltato Grès cérame émaillé Glasiertes feinsteinzeu g Gres porcelánico esmaltado	**Value required** Valore richiesto Valeur requise Geforderter wert Valor requerido	**Double firing** Bicottura Bicuisson Zweimalbrand Bicocción
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	**> 10%**	**according to** conforme conformes Gemäß conforme
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	thickness ≥ **7,5mm** ≥ **600 N** thickness < **7,5mm** ≥ **200 N**	**according to** conforme conformes Gemäß conforme
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	thickness ≥ **7,5mm** ≥ **12 N/mm²** thickness < **7,5mm ≥ 15 N/mm²**	**according to** conforme conformes Gemäß conforme
indicated in the catalogue indicato sul catalogo indiqué sur le catalogue im Prospekt angegeben indicado en el catálogo	**indicated in the catalogue** indicato sul catalogo indiqué sur le catalogue im Prospekt angegeben indicado en el catálogo		
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	**no sample must show visible defects** nessun campione deve presentare difetti visibili aucun échantillon ne doit presenter des défauts visibles Kein Exemplar soll sichtbare Schäden aufweisen ninguna muestra debe presentar defectos visibles	**according to** conforme conformes Gemäß conforme
resistant resistenti résistants widerstandsfähig resistentes	**resistant** resistenti résistants widerstandsfähig resistentes		
indicated in the catalogue indicato sul catalogo indiqué sur le catalogue im Prospekt angegeben indicado en el catálogo	**indicated in the catalogue** indicato sul catalogo indiqué sur le catalogue im Prospekt angegeben indicado en el catálogo		
indicated in the catalogue indicato sul catalogo indiqué sur le catalogue im Prospekt angegeben indicado en el catálogo	**indicated in the catalogue** indicato sul catalogo indiqué sur le catalogue im Prospekt angegeben indicado en el catálogo		
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	**lenght and width** ± **0,5%**(max±2mm) lunghezza e larghezza / longueur et largeur / Länge und Breite / longitud y anchura **thickness** ± **10%**(max±0,5mm) spessore / epaisseur / Stärke / espesor **wedging** ± **0,5%**(max±2mm) ortogonalità / orthogonalité / Rechtwinkligkeit / ortogonalidad **flatness** ± **0,5%**(max±2mm) planarità / planéité / Ebenflächigkeit / planaridad	**according to** conforme conformes Gemäß conforme
α ≤**7 x 10$^{-6/°C}$**	α ≤**7 x 10$^{-6/°C}$**		
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	**according to producer's** secondo i dati del costruttore selon les éléments du costructeur laut Angaben des Herstellers según los datos del fabricante	**according to** conforme conformes Gemäß conforme
according to conforme conformes Gemäß conforme	**according to** conforme conformes Gemäß conforme	**classe** ≥ **3**	**according to** conforme conformes Gemäß conforme
		requested richiesta demande Anfrage solicitud	**according to** conforme conformes Gemäß conforme

**** Accordance to the norme**
Rispondenza alla norma
Correspondance à la norme
Übereinstimmung an die
Norme conformidad con la norma

abitarelaceramica.it